



**Commercial & Industrial (C&I)  
Local Government Energy Audit (LGEA) Program  
Program Guide**

Fiscal Year 2020  
(7/1/2019 through 6/30/2020)

## Table of Contents

Overall Program Description.....	3
Target Market .....	3
Links to Website.....	4
Energy Audit Scope of Work .....	4
Process & Implementation .....	5
Financial Incentive .....	6
Program Dispute Resolution .....	7
Call Center Support .....	7

## Overall Program Description

The Local Government Energy Audit (LGEA) Program provides financial incentives to cover the cost of having an energy audit performed on eligible facilities owned by municipalities, school districts, 501(c)(3) non-profits, and other local and state government entities (applicants).

The goal of the energy audit is to provide applicants with information on how their facilities use energy, identify energy conservation measures (ECMs) that can reduce energy use, and put applicants in a position to implement these ECMs. The energy audit also guides applicants towards appropriate New Jersey's Clean Energy Program (NJCEP) equipment incentive programs in order to receive financial incentives for implementing the ECMs.

The program is also used as a means of qualifying applicants for other relevant initiatives, most notably the Energy Savings Improvement Program (ESIP), Sustainable Jersey's municipal and school programs, and GreenFaith. Collaboration with these programs can provide cost-effective benefits to these publicly funded facilities while helping to achieve mutual goals.

The initial program process relied heavily on the applicants' time and resources. The current program process implemented in 2016, as outlined below, reduces program costs and streamlines both the application and auditing processes to help alleviate some of the applicants' administrative burden.

## Target Market

The LGEA Program is open to the following eligible entities that contribute to the Societal Benefits Charge (SBC) fund through either of their gas and/or electric non-IOU utility service providers:

- State contracting agency as defined by N.J.S.A. 52:34-35
- Public agency as defined by N.J.S.A. 52:35A-1
- Local governments per Local Public Contracts Law (N.J.S.A. 40A:11-1)
- Local governments per Public School Contracts Law (N.J.S.A. 18A:18A-1)
- County colleges per County College Contracts Law (N.J.S.A.18A:64A-25.1)
- NJ State Colleges or State Universities per State College Contracts Law (N.J.S.A.18A:64-52)
- Non-profit charitable organizations per Section 501(c)(3) of the Internal Revenue Code

Typical building types include but are not limited to: offices, courtrooms, town halls, police/fire stations, sanitation buildings, transportation structures, schools, and community centers. All local governments, New Jersey State Colleges or State Universities, County Colleges, Public Schools, and non-profit agencies exempt from federal taxation under section 501(c)(3) of the Internal Revenue Code that are located within the service territory of at least one of the state's regulated utilities are eligible.

Applicants may apply for an energy audit for buildings that they own, although a building may still be eligible if the applicant leases the building and provides supporting documentation from the building owner authorizing the energy audit before it is performed.

Participating local government agencies do not need to pass a resolution to submit an application to the program.

The buildings' average peak demand must be at least 200kW in the most recent twelve (12) months of electric utility bills (inclusive of all accounts in the building) in order to qualify for participation in the LGEA Program. Buildings that do not meet this requirement will be recommended to apply for the Direct Install program unless an appropriate waiver is selected and approved by the Program Manager. The Program Manager will have the ability to grant exceptions to the kW requirement, on a per building basis, if the applicant can demonstrate they meet at least one of the following criteria:

- ESIP is an anticipated source of funding;
- Master or campus metering arrangement on-site, where demand of any one building is unknown;
- Unable to commit to the turn-key Direct Install program process at this time due to scope, facility type, measure type (e.g. insulation, windows, etc.), financial constraints, limitations by board or contracting authority, desire to understand energy profile of all buildings prior to prioritizing resources, etc. (additional information may be requested); and/or
- Other requests for exemption that may be considered by TRC on a case-by-case basis, subject to review and approval by the Program Administrator and/or NJBPU (additional information may be requested).

All waivers must be fully clarified upon request before the application can move ahead.

**The LGEA Program is available to buildings never previously audited under the program, as well as buildings that have received an audit no less than three (3) years earlier (measured from the audit report approval date). All program requirements must be met in order for an entity to qualify for a second energy audit.**

### Links to Website

The below link routes to the overall LGEA Program homepage and contains a link to the Excel based application workbook: <http://NJCleanEnergy.com/LGEA>

### Energy Audit Scope of Work

The LGEA audit is comprehensive and will include the following elements:

1. **Historic Energy Consumption** – Compile energy usage and costs for each facility/building for the most recent twelve (12) months prior to the audit, identify the utility rate schedule under which services are provided to each meter, and benchmark each building with the US Environmental Protection Agency's (EPA) Portfolio Manager® (a proprietary energy benchmarking database that generates its own score).
2. **Facility and Measure Description** – Characterize building usage and occupancy profiles, facility size, and construction features including an assessment of the building envelope (windows, doors, insulation, etc.), along with equipment description and operations.
3. **Equipment List** – Create inventory of energy consuming equipment, with estimated efficiency and remaining useful life of the equipment.

4. **Energy Conservation Measures** – Provide a narrative summary for each ECM and key assumptions made in analyzing each measure, describing the method of analysis, along with the estimated installation cost, estimated energy savings, estimated annual energy cost savings, and any rebates/incentives available through NJCEP or other sources. Return on Investment (ROI) and payback calculations will also be calculated.
5. **Renewable/Distributed Energy Measures** – Perform a high-level assessment of renewable and distributed energy technologies, including recommendations on the potential/viability of various renewable technologies, identification of financial incentives available for each, and cost analysis.
6. **Energy Purchasing and Procurement Strategies** – Develop a load profile for each electric and natural gas account, provide an analysis of the utility tariff under which the facility is currently served, and assess potential savings available through entering a contract with a third-party supplier.
7. **Method of Analysis** – Provide a description and documentation for and tools used to perform energy use and energy savings estimates; clearly identify all assumptions/estimates used.

*\* In cases where ESIP will be sought, the audit will also comply with the program requirements by including energy related water conservation measures, demand response potential, and estimated greenhouse gas reductions for each measure.*

## Process & Implementation

This program is implemented as follows:

- The applicant will submit one application per entity. The application includes building type, square footage, utility account information and associated bills, and other applicable energy usage information for each building to be audited.
- When an applicant is enrolled in LGEA and participating in any NJCEP equipment incentive programs at the same time for the same facility(ies), the Program Manager will assess the impact that the work may have on the energy audit and require the applicant take one of the following actions, depending on the level of impact:
  - Proceed with energy audit and equipment upgrades (minimal impact)
  - Complete equipment upgrades prior to proceeding with energy audit process or vice versa (moderate impact)
  - Cancel energy audit application (significant impact)
- If the initial program eligibility and application requirements have been met and the applicant is approved to have an energy audit performed under this program, the Case Manager will issue an approval letter to the applicant.
- The energy audit scope of work is consistent with ASHRAE Level II<sup>1</sup> audit, except for lighting which follows ASHRAE Level III. Audit scope may vary depending on the specific needs and circumstances

---

<sup>1</sup> From the ASHRAE Handbook:

of the applicant within limitations of the RFP. Smaller facilities with a legitimate waiver under 200kW average peak demand may receive an ASHRAE Level I audit. A high-level assessment of on-site generation potential will also be conducted for each site that is approved for an audit. This assessment will be considered an add-on scope to the typical energy audit and cannot be a standalone study.

- In order to provide compatibility with the Energy Savings Improvement Program (ESIP), the energy audit scope will include an evaluation of energy related water conservation measures, demand response potential, and estimated greenhouse gas reduction for each recommended measure.

The Program Manager oversees the audit, preparation of the draft audit report, and Exit Meeting where next steps for implementing measures recommended in the report will be discussed. Prior to the Exit Meeting, applicants are given 30 days to review the draft audit report and provide comments. If no edits are required a final report will be issued and will be posted on the NJCEP website.

## Financial Incentive

The LGEA Program will provide audits up to a value of \$100,000 per program year, per applicant. For larger applicants, if the audit cost exceeds or is expected to exceed \$100,000, the Program Manager will work with Board Staff to determine and authorize a larger cost cap, not to exceed \$300,000. Approval of a higher cost cap will be contingent on a commitment from the applicant to pursue ESIP (by selecting intent to pursue ESIP on the application). Board Staff may also consider permitting 501c3 healthcare entities to exceed the \$100,000 fiscal year entity cap; however, the funds exceeding the initial \$100,000, not to exceed \$300,000 total, would be for auditing facilities designated as hospitals by the NJ Department of Health (DOH).

For the avoidance of doubt, the Board itself, in accordance with the rules, may consider granting waivers that would authorize incentives that exceed \$300,000 on whatever terms and conditions the Board determines appropriate.

## Limitations

This document is not legally binding on the New Jersey Board of Public Utilities (Board), the Program Administrator, or the Program Manager. If there is any conflict between this document and a Board Order, the applicable Compliance Filing, any legally binding agreement(s), or any other legally binding document(s), such other document(s) shall take precedence and control over this document.

---

**Level I** – Walk-through Assessment – Assess a building's energy cost and efficiency by analyzing energy bills and conducting a brief survey of the building. A Level I energy analysis will identify and provide a savings and cost analysis of low-cost/no-cost measures. It will also provide a listing of potential capital improvements that merit further consideration, along with an initial judgment of potential costs and savings.

**Level II** – Energy Survey and Analysis – This includes a more detailed building survey and energy analysis. A breakdown of energy use within the building is provided. A Level II energy analysis identifies and provides the savings and cost analysis of all practical measures that meet the owner's constraints and economic criteria, along with a discussion of any effect on operation and maintenance procedures. It also provides a listing of potential capital-intensive improvements that require more thorough data collections and analysis, along with an initial judgment of potential costs and savings. This level of analysis will be adequate for most buildings and measures.

**Level III** – Detailed Analysis of Capital-Intensive Modifications – This level of analysis focuses on potential capital-intensive projects identified during Level II and involves more detailed field data gathering and engineering analysis. It provides detailed project cost and savings information with a high level of confidence sufficient for major capital investment decisions.

## Quality Control Provisions

Documented policies and procedures provide proper guidelines to ensure consistency in the processing and quality control for all LGEA participants. All applications are reviewed upon receipt to verify adherence to eligibility requirements and technical information. Applicant-supplied information is entered into the database and files are created for all documents, including project correspondence. The program will perform internal quality assurance reviews on audit reports.

## Program Dispute Resolution

Disputes, concerns, or complaints that arise will be addressed initially by the Program Manager or Program Staff at the point of contact. If resolution for whatever reason is not possible, there is a [dispute resolution process](#) backed by the NJ Board of Public Utilities (NJBPUI).

## Call Center Support

*New Jersey's Clean Energy Program* operates a call center staffed weekdays between 8 AM and 7 PM. The phone number is 866-657-6278 and the email is LGEA@NJCleanEnergy.com. The call center is trained in answering general questions about the program and application processes as well as able to provide specific information pertaining to an application.